CS 4530 Fundamentals of Software Engineering

Module 16: Engineering Software for Equity

Adeel Bhutta, Joydeep Mitra and Mitch Wand Khoury College of Computer Sciences

Learning Goals

- By the end of this lesson, you should be able to...
 - Illustrate how software can cause inadvertent harm or amplify inequities
 - Explain the role of human values in designing software systems
 - Explain some techniques that software engineers can use in producing software systems that are more congruent with human values.

Ethically and morally implicated technology is everywhere!

- Algorithms that gate access to loans, insurance, employment, government services...
- Algorithms that perpetuate or exacerbate existing discrimination
- Bad medical software can kill people (Therac-25)
- Uls that discriminate against differently-abled people (Domino's)
- Uls that are addictive (social media apps)
- Third-party data collection for hyper-targeted advertising
- GPT-3!!
- And on... and on... and on...

A few representative examples

• Some of these are old, but things haven't changed...

Following regulations alone is not enough

Citigroup Center

- Design met building code, but did not account for all failure modes
- Last-minute changes to construction increased odds of failure
- Fixed before disaster could strike, but kept a secret for 20 years



Badly-engineered software can kill people

- Therac-25 (1985-1987)
- Bug in software caused 100x greater exposure to radiation than intended
- At least 6 died
- Likely far more suffered: deaths occurred over a period of 2 years!
- Weak accountability in manufacturer's organization



"Therac-25" by Catalina Márquez, Wikimedia commons, CC BY-SA 4.0

Algorithmic sentencing can discriminate

 The COMPAS sentencing tool discriminates against black defendants

	ALL	WHITE DEFENDANTS	BLACK DEFENDANTS
Labeled High Risk, But Didn't Re-Offend	32%	23%	44%
Labeled Low Risk, Yet Did Re-Offend	37%	47%	28%

Algorithmic bias can discriminate

• ...against the poorest of us

THE WALL STREET JOURNAL.

Websites Vary Prices, Deals Based on Users' Information



FairTest: Discovering Unwarranted Associations in Data-Driven Applications*

Florian Tramèr¹, Vaggelis Atlidakis², Roxana Geambasu², Daniel Hsu², Jean-Pierre Hubaux³, Mathias Humbert⁴, Ari Juels⁵, Huang Lin³

¹Stanford, ²Columbia University, ³EPFL, ⁴Saarland University, ⁵Cornell Tech, Jacobs Institute

Abstract—In a world where traditional notions of privacy are increasingly challenged by the myriad companies that collect and analyze our data, it is important that decision-making entities are held accountable for unfair treatments arising from irresponsible data usage. Unfortunately, a lack of appropriate methodologies and tools means that even identifying unfair or discriminatory effects can be a challenge in practice.

We introduce the *unwarranted associations (UA) framework*, a principled methodology for the discovery of unfair, discriminatory, or offensive user treatment in data-driven applications. The UA framework unifies and rationalizes a number of prior attempts at formalizing algorithmic fairness. It uniquely combines multiple investigative primitives and fairness metrics with broad applicability, granular exploration of unfair treatment in user subgroups, and incorporation of natural notions of utility that may account for observed disparities.


We instantiate the UA framework in *FairTest*, the first comprehensive tool that helps developers check data-driven applications for unfair user treatment. It enables scalable and statistically rigorous investigation of associations between application outcomes (such as prices or premiums) and sensitive user attributes (such as race or gender). Furthermore, FairTest provides *debugging capabilities* that let programmers rule out


decision-making can have unintended and harmful consequences, such as unfair or discriminatory treatment of users.

In this paper, we deal with the latter challenge. Despite the personal and societal benefits of today's data-driven world, we argue that companies that collect and use our data have a responsibility to ensure equitable user treatment. Indeed, European and U.S. regulators, as well as various policy and legal scholars, have recently called for increased algorithmic accountability, and in particular for decision-making tools to be audited and "tested for fairness" [1], [2].

There have been many recent reports of unfair or discriminatory effects in data-driven applications, mostly qualified as unintended consequences of data heuristics or overlooked bugs. For example, Google's image tagger was found to associate racially offensive labels with images of black people [3]; the developers called the situation a bug and promised to remedy it as soon as possible. In another case [4], Wall Street Journal investigators showed that Staples' online pricing algorithm discriminated against lower-income people. They referred to the situation as an "unintended consequence" of Staples's seemingly rational decision to adjust online prices based on user proximity to competitors' stores. This led to higher prices for low-income customers, who generally live farther from these stores.

Algorithms can be used for price gouging





https://www.youtube.com/watch?v=T1Bcupz77-Q

UIs can discriminate against the differentlyabled

Domino's Would Rather Go to the Supreme Court Than Make Its Website Accessible to the Blind

Pizza LLC v. Robles

Rather than developing technology to support users with disabilities, the pizza chain is taking its fight to the top

by Brenna Houck | @EaterDetroit | Jul 25, 2019, 6:00pm EDT







"Domino's Would Rather Go to the Supreme Court Than Make Its Website Accessible to the Blind" by Brenna Houck, Eater Detroit




Jul 15 2019	Brief amicus curiae of Washington Legal Foundation filed.
Jul 15 2019	Brief amici curiae of Retail Litigation Center, Inc., et al. filed.
Jul 15 2019	Brief amicus curiae of Cato Institute filed.
Jul 15 2019	Brief amicus curiae of Restaurant Law Center filed.
Jul 15 2019	Brief amici curiae of Chamber of Commerce of the United States of
	America, et al. filed.

Software can help to evade regulation

The Emissions Tests That Led to the Discovery of VW's Cheating

The on-road testing in May 2014 that led the California Air Resources Board to investigate Volkswagen was conducted by researchers at West Virginia University. They tested emissions from two VW models equipped with the 2-liter turbocharged 4-cylinder diesel engine. The researchers found the en tested on the road, some cars emitted almost 40 times the permitted leading to a rogen oxides.

Average emissions of nitrogen ovince road testing






Illustration by Guilbert Gates | Source: Volkswagen, The International Council on Clean Transportation

Training Data can be biased (and usually is)

THE WALL STREET JOURNAL.

Q

DIGITS

Google Mistakenly Tags Black People as 'Gorillas,' Showing Limits of Algorithms

By Alistair Barr

Updated July 1, 2015 3:41 pm ET

SHARE A TEXT

Google is a leader in artificial intelligence and machine learning. But the company's computers still have a lot to learn, judging by a major blunder by its Photos app this week.

The app tagged two black people as "Gorillas," according to Jacky Alciné, a Web developer who spotted the error and tweeted a photo of it.

"Google Photos, y'all f**ked up. My friend's not a gorilla," he wrote on Twitter.

https://www.wsj.com/articles/BL-DGB-42522

https://www.wired.com/story/when-it-comes-to-gorillas-google-photos-remains-blind/



BACKCHANNEL BUSINESS CULTURE GEAR IDEAS MORE \checkmark

OM SIMONITE

BUSINESS 01.11.2018 07:00 AM

When It Comes to Gorillas, Google Photos Remains Blind


Google promised a fix after its photo-categorization software labeled black people as gorillas in 2015. More than two years later, it hasn't found one.











In WIRED's tests, Google Photos did identify some primates, but no gorillas like this one were to be found. RICK MADONIK/TORONTO STAR/GETTY IMAGES

Training of AI systems can impact climate

The Register®

 \equiv

{* AI + ML *}

Al me to the Moon... Carbon footprint for 'training GPT-3' same as driving to our natural satellite and back

Get ready for Energy Star stickers on your robo-butlers, maybe?

Katyanna Quach Wed 4 Nov 2020 // 07:59 UTC

SHARE

Training OpenAl's giant GPT-3 text-generating model is akin to driving a car to the Moon and back, computer scientists reckon.

More specifically, they estimated teaching the neural super-network in a Microsoft data center using Nvidia GPUs required roughly 190,000 kWh, which using the average carbon intensity of America would have produced 85,000 kg of CO_2 equivalents, the same amount produced by a new car in Europe driving 700,000 km, or 435,000 miles, which is about twice the distance between Earth and the Moon, some 480,000 miles. Phew.

Consumption	CO ₂ e (lbs)
Air travel, 1 passenger, NY↔SF	1984
Human life, avg, 1 year	11,023
American life, avg, 1 year	36,156
Car, avg incl. fuel, 1 lifetime	126,000

Training one model (GPU)

NLP pipeline (parsing, SRL)	39
w/ tuning & experimentation	78,468
Transformer (big)	192
w/ neural architecture search	626,155

"Energy and Policy Considerations for Deep Learning in NLP" by Strubell et al in ACL19

https://www.theregister.com/2020/11/04/gpt3_carbon_footprint_estimate/

Al programs can hallucinate

Lawyer cites fake cases generated by ChatGPT in legal brief The high-profile incident in a federal case highlights the need for lawyers to

verify the legal insights generated by AI-powered tools.

Published May 30, 2023

The ChatGPT Lawyer Explains Himself

In a cringe-inducing court hearing, a lawyer who relied on A.I. to craft a motion full of made-up case law said he "did not comprehend" that the chat bot could lead him astray.

Here's What Happens When Your Lawyer Uses ChatGPT A lawyer representing a man who sued an airline relied on artificial intelligence to help prepare a court filing. It did not go

scientific reports

Explore content > About the journal > Publish with us > <u>nature</u> > <u>scientific reports</u> > <u>articles</u> > article

Article | Open access | Published: 07 September 2023 Fabrication and errors in the bibliographic citations

Scientific Reports 13, Article number: 14045 (2023) | Cite this article 5866 Accesses | 2 Citations | 95 Altmetric | Metrics

ChatGPT is making up fake Guardian articles. Here's how we're responding Chris Moran

And this is only the tip of the iceberg

- Other Challenges:
 - interfaces and systems designed to be addictive;
 - corporate ownership of personal data;
 - weak cyber security and personally identifiable information (PII) protection;
 - and many more ...

SOCL 4528. Computers and Society. (4 Hours)

Focuses on the social and political context of technological change and development. Through readings, course assignments, and class discussions, offers students an opportunity to learn to analyze the ways that the internet, artificial intelligence, and other technological advances have required a reworking of every human institution—both to facilitate the development of these technologies and in response to their adoption.

Home > Undergraduate > Khoury College of Computer Sciences > Khoury Combined Majors > Computer Science and Sociology, BS Computer Science and Sociology, BS 2023-2024 EDITION PROGRAM REQUIREMENTS Complete all courses listed below unless otherwise indicated. Also complete any corequisite labs, recitations, clinicals, or tools courses where specified and complete any additional courses needed beyond specific college and major requirements to satisfy graduation

Equity and Software

As new as software engineering is, we're newer still at understanding its impact on underrepresented people and diverse societies.

We must recognize imbalance of power between those who make development decisions that impact the world.

and those who simply must accept and live with those decisions that sometimes disadvantage already marginalized communities globally.

Recognize inequities in your software

One mark of an exceptional engineer is the ability to understand how products can advantage and disadvantage different groups of human beings

Engineers are expected to have technical aptitude, but they should also have the discernment to know when to build something and when not to

Demma Rodriguez
Head of Equity Engineering
Google



More than don't be evil


- Engineering equitable software requires conscious effort
 - How do we determine what "the right thing" is?
 - How do we weigh competing interests and values
 - How do we convince our investors/managers to take this action?

What can we do?

- There is **not** a single standard that everyone follows for developing ethical or equitable software.
- We have a number of attempts:
 - Use Value Sensitive Design
 - Microsoft's Responsible Al Standard
 - Gender Inclusive Design
 - and many more

Value Sensitive Design: an approach to consider human values in the design process.







All technology involves design



All design involves choices among possible options



All choices reflects values



Therefore, all technologies reflect and affect human values



Ignoring values in the design process is irresponsible

- Identify Direct and Indirect Stakeholders
- Identify Human Values
- Study Impact of Values on Stakeholders
- Resolve Value Tensions and Identify unintended consequences

Microsoft's **Trust Code** includes a standards that is based on 6 values

- Microsoft's company-wide "Trust Code," covers specific policies like the: Responsible AI Standard, and codes of conduct for open-source communities
- The Responsible AI Standard focuses on *fairness, privacy, reliability, inclusiveness, transparency, and accountability* for AI systems.



Gender Inclusive Design

- Gender Stereotypes are fairly common in real world and many apps
- GenderMag is a structured approach for evaluating
 - and fixing technology products and services
 - A set of cognitive styles for using technology that statistically cluster by gender. These are the 5 facets.
 - A set of a fictional people (called personas)
 - Evaluation walkthrough: a prescribed series of steps to uncover gender-inclusion issues





GenderMag

Facets


- Information processing style
- Learning style for new technology
- Computer self-efficacy
- Attitude to risk
- Motivations

Personas

Abi, Tim and Pat

Walkthrough

- Answer a series of questions for each persona
- Generate Report on how usage differs



Bottomline: Don't ignore the challenges

- Have a core set of Principles of Ethical SE/AI
 - Harvard: Fairness, Transparency, Accountability, Privacy, Security
 - AWS: Fairness, Explainability, Privacy and security, Safety, Controllability, Veracity and robustness
 - Google AI: Design for safety, Be transparent, Secure AI systems
- Follow guidelines like Balance technical and moral responsibility
 - Be Proactive
 - Be honest
 - Be accountable
 - Be a responsible citizen

Where does this leave us?

So that we can sleep at night

- Consider the different ways that our software may impact others
- Consider the ways in which our software interacts with the political, social, and economic systems in which we and our users live
- Develop and Follow your own individual "code of ethics"
- Follow best practices, and actively push to improve them
- Encourage diversity in our development teams
- Engage in honest conversations with our co-workers and supervisors to explore possible ethical issues and their implications.

Review

- You should now be able to...
 - Illustrate how software can cause inadvertent harm or amplify inequities
 - Explain the role of human values in designing software systems
 - Explain some techniques that software engineers can use in producing software systems that are more congruent with human values.